





REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED




Pigtail 100mm Long




DRAWN	NAME	DATE	AGRIGEL	
APPROVED	Dan	01/22/13		
MATERIAL			TITLE	
TREATMENT			FILE NAME: Flow Control Board Box.dft	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS			SIZE	DWG NO
1st ANGLE			A4	
2 PL ±0.02 3 PL ±0.005			SCALE:	WEIGHT:
				REV
				SHEET 1 OF 3


REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED



	NAME	DATE	AGRIGEL		
DRAWN	Dan	01/22/13			
APPROVED			TITLE		
MATERIAL					
TREATMENT			UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS		
			SIZE A4	DWG NO	REV
			FILE NAME: Flow Control Board Box.dft		
			SCALE:	WEIGHT:	SHEET 2 OF 3

1st ANGLE
 2 PL ±0.02 3 PL ±0.005

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED



JN, J5 & J4 MUST BE IN ON THE BOARD TO ALLOW FOR CLEARANCE FROM THE CABLE GLANDS.

A HEAT SINK IS MOUNTED ABOVE A3979 WITH M3 SCREWS & NUTS

3 CABLE GLANDS

J6 IS THE SWITCH MEMBRANE CONNECTOR & NEEDS TO BE IN THE MIDDLE OF & ON THE EDGE OF THE BOARD AS INDICATED. IF POSSIBLE, TRY TO AVOID TALL COMPONENTS IN THE MIDDLE OF THE BOARD THAT COULD GET IN THE WAY OF THE CONNECTOR CABLE.

4 SMALL HOLES WITH CABLE GROMMITS

J3, J2, J8 & J9 CAN PROTRUDE PAST THE BOARD BY 2mm IF REQUIRED

	NAME	DATE	AGRIGEL		
DRAWN	Dan	01/22/13			
APPROVED			TITLE		
MATERIAL					
TREATMENT			SIZE	DWG NO	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS			A4		
1st ANGLE			FILE NAME: Flow Control Board Box.dft		
2 PL ±0.02 3 PL ±0.005			SCALE:	WEIGHT:	SHEET 3 OF 3